

**DEPLOYMENT LOG for IceCube STRING # 30**Deployment Start: at _____ on 13 Jan 2006Deployment End: at 7:40 AM on Jan/14/2006Target depth (DOM60): **2450 m** Final depth: 2453.34**Deployment Crew**

Position	First Shift	Second Shift	Third Shift
Shift lead	Gary Hill		
DOM install 1 (high)	Don Bichi		
DOM install 2 (low)	Patrick		
DOM supply 1 / DOM install 3	Bernhard		
DOM supply 2 / floater	Kara/Hogler/Andreas		
Winch operator (cable & tower)	Dan		
Notary (logbook & photos)	Ethan		
PTS (monitoring / sensors)	Andee Justin	Justin / Ignacio	
Support (optional)			
Time shift on:			
Time shift off:			

Summary/Comments:

need digital clock for TOS



Hole Handover

☐ Drill data reviewed

☐ maximum drift in x: _____ ☐ plot

☐ maximum drift in y: _____ ☐ plot

☐ maximum depth: _____

☐ minimum radius: _____ ☐ plot

☐ plot of predicted radius vs depth and time

☐ Hole dimensions verified

Time: 18:54

Drill Lead: _____

name / signature / date

Deployment Lead: _____

name / signature / date

☐ Handover complete

Hole Logging

(skip if not applicable)

☐ Logger drop started

Time: _____

Speed: _____

☐ Logging started

Time: _____

Speed: _____

☐ Logging ended

Time: _____

☐ Estimated hole lifetime: _____

► Must reach target depth by _____ on _____



Deployment Startup

Deployment hole cover on hand

Time: 18:59

- ☒ Cable winch anchored and ☒ operational
- ☒ Tower winch operational
- ☒ Tie off verified
- ☒ Yellow rope verified
- ☒ Deployment monitoring system (PTS) operational ☒ DDB# 3
- ☒ Pressure sensors on hand: Paro(s) and Keller
- ☒ Laser ranger, tape measure (metric) on hand
- ☒ Loopback terminators connected (inside cable reel drum) DDB 1
- ☒ Uphole pressure system on hand: Setra sensor and cable switched during deployment
- ☐ DOMs placed in racks
- ☒ Weight stack on hand: weights (5) and 2 m cable
- Safety checks complete (☒ 1st shift ☐ 2nd shift)
 - ☒ ☐ Crew safety briefing
 - ☒ ☐ E-stop locations identified
 - ☒ ☐ TOS evacuation procedures reviewed
 - ☒ ☐ Mustering point identified
 - ☒ ☐ Snow mobile driver(s): Ethan Gray Dar
 - ☒ ☐ CPR trained: Ethan Gray Dar Kara
 - ☐ ☐ Food runners: _____

call galley at 65521

- ☒ End of Main Cable brought into TOS and secured 19:53

☒ Disable Payout Added by I. Taboada

Cable end attachments

- ☒ Measure well depth: 49.9/50.4 2 holes @ 2 levels
- ☒ Weights (5) attached one fin hole ~10m below water level
- ☒ Weight cable attached (weight stack complete) one hot water hole

Time: 19:17 weight stack start 19:53main cable tied off 19:53
into TOSweight stack
complete

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)

DOM position 60

(T, Long)

Cable mark:

~~0.6~~ 0.6DOM id: ☐ TP4P0137☐

Reason for substitution:

☒ Bottom shackle connected to weight stack☒ Top clutch connected at link # 19☐ Bow OK → ☐ clutch zip tied☐ Cable end taped to weight stack cable

Payout:

N/APhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**DOM position 59**

(U, Short)

Cable mark:

17.5DOM id: ☐ UP4H0025☐

Reason for substitution:

☐ Bottom shackle connected☒ Top clutch connected at link # 18☐ Bow OK → ☐ clutch zip tied $\Delta(59-60)$:17.1
(use laser ranger)Photos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 30**Time: 20:36☐ Cable/LC continuity test complete (Q16)☒ all pass☐ fail: _____**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected**- ShortDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cable

Thermistor:

☐ Present☒ Distance to DOM59:49cm

Paro: (= Paro2)

☐ Connected☒ Operational☐ Air pressure [PSI]: _____Ser.#: 98105☒ Cable mark: 18.9☒ Distance to DOM59: 1.29mAdapter: 147.2☐ All clear to lower cable ☺Nipple ☐ on ☒ off20:32
Dom 60
descend20:36
Dom 59
descent20:53 waiting on
Matt Newcomb to
come from station
problem in paro
read out
20:59 Newcomb arrived
21:22 - new paro working
Software problem98107 ~~98105~~ 98173 147.221:25 ODB 254241 Attached
21:26 read

Photos: DOM ids (☐ long ☐ short); connectors (☒ long ☐ short)**DOM position 58**

(T, Long)

Cable mark: 34.7DOM id: ☐ TP4P0091☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(58-59)$: 17.0☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☒ phi orientation ☒ whole view**DOM position 57**

(U, Short)

Cable mark: 51.6DOM id: ☒ UP4H0030☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 19 $\Delta(57-58)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☒ phi orientation ☒ whole view**Breakout 29**☒ Cable/LC continuity test complete (Q16)☒ all pass☐ fail: _____**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected**- ShortDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 20:36 21:38Last b/o 20:36 Δt [min] 4:02 1:02

Depth:

Paro2 N/APayout N/A☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)

DOM position 56

(T, Long)

Cable mark: 68.7DOM id: ☐ TP4Y0051☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 19 $\Delta(56-57)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**DOM position 55**

(U, Short)

Cable mark: 85.6DOM id: ☐ UP4P0084☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(55-56)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 28**☒ Cable/LC continuity test complete (Q15)☒ all pass☐ fail: _____**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 21:56Last b/o 21:38 Δt [min] :18

Depth:

Paro2 N/APayout N/A☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)

DOM position 54DOM id: ☒ TP5P0929

(T, Long)

Cable mark: 102.8

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(54-55)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**DOM position 53**DOM id: ☒ UP4P0080

(U, Short)

Cable mark: 119.6

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(53-54)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**Breakout 27**

Time:

☒ Cable/LC continuity test complete (Q15)☐ all pass☐ fail: _____Now 22:08Last b/o 21:56 Δt [min] 12**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 127.1Payout N/A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☐ connected☒ Loose pigtails taped to cableThermistor: ☒ Present ☐ Distance to DOM53: _____☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 52**

(T, Long)

Cable mark: 136.9DOM id: ☐ TP4H0036Reason for substitution: no id☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(52-53)$: 1.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**DOM position 51**

(U, Short)

Cable mark: 153.9DOM id: ☐ UP4P0120

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(51-52)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**Breakout 26**

Time:

☒ Cable/LC continuity test complete (Q14)☒ all pass☐ fail: _____Now 22:19Last b/o 22:08 Δt [min] :11

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 159.3Payout 21/A

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cableThermistor distance to DOM 51 58cm☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 50**

(T, Long)

Cable mark: 170.8DOM id: ☒ TP4H0050

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(50-51)$: 17.1☒ Bow OK → ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.42m ☐ Vertical distance: 2.40**DOM position 49**

(U, Short)

Cable mark: 187.8DOM id: ☒ UP5H0160

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(49-50)$: 17.0☒ Bow OK → ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.42 ☐ Vertical distance: 2.40**Breakout 25**

Time:

☒ Cable/LC continuity test complete (Q14)☒ all pass☐ fail: _____Now 22:33Last b/o 22:19 Δt [min] :14

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 187.7Payout N/A

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☐ breakout O-ring in place and ☐ lubed☒ connected☐ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☐ long ☒ short)**DOM position 48**

(T, Long)

Cable mark: 204.8DOM id: ☒ TP5Y0221☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(48-49)$: 171☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 47**

(U, Short)

Cable mark: 221.8DOM id: ☒ UP5Y0182☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(47-48)$: 170☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 24**

Time:

☒ Cable/LC continuity test complete (Q13)☒ all pass☐ fail: _____Now 22:44Last b/o 22:33 Δt [min] 11

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 221.8

Payout _____

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 46**

(T, Long)

Cable mark: 238.9DOM id: ☒ TP4P0217

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(46-47)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 45**

(U, Short)

Cable mark: 255.9DOM id: ☒ UP4P0276

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(45-46)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 23**☒ Cable/LC continuity test complete (Q13)☒ all pass☒ fail: _____**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 22:53Last b/o 22:44 Δt [min] 109

Depth:

Paro2 255.1Payout N/AThermistor: ☒ Present ☒ Distance to DOM45: _____not present☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 44**DOM id: ☒ TP5Y0213

(T, Long)

Cable mark: 272.9

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(44-45)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 43**DOM id: ☒ UP5Y0154

(U, Short)

Cable mark: 289.9

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(43-44)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 22**

Time:

☒ Cable/LC continuity test complete (Q12)☒ all pass☐ fail: _____Now 23:04Last b/o 22:53 Δt [min] :11**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 289.9Payout 11A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

thermista

54 cm

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 42**

(T, Long)

Cable mark: _____

DOM id: ☒ TP4P0207☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(42-43)$: 17.8☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 41**

(U, Short)

Cable mark: 323.9DOM id: ☒ UP4P0218☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(41-42)$: 17.8☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 21**

Time:

☒ Cable/LC continuity test complete (Q12)☒ all pass☒ fail: _____Now 23:14Last b/o 23:04 Δt [min] :10**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 323.6Payout N/A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☒ long ☒ short)

DOM position 40

(T, Long)

Cable mark: 340.9DOM id: ☒ TP4H0041☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(40-41)$: 12.6☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**DOM position 39**

(U, Short)

Cable mark: 357.9DOM id: ☒ UP4H0054☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(39-40)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**Breakout 20**

Time:

☒ Cable/LC continuity test complete (Q11)☒ all pass☐ fail: _____Now 23:32Last b/o 23:14 Δt [min] 18**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 23:21 3566

Payout _____

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable23:21 problem with cable23:27 cable motion resumed

ropes snagged on thimble-photo take

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 38

(T, Long)

Cable mark: 375.0DOM id: ☒ TP5Y0207☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(38-39)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 37**

(U, Short)

Cable mark: 392.0DOM id: ☒ UP5Y0214☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(37-38)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 19**

Time:

☒ Cable/LC continuity test complete (Q11)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableNow 23:43Last b/o 23:32 Δt [min] 11

Depth:

Paro2 390.8

Payout _____

23:41 cable snagged again☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☒ long ☒ short)**DOM position 36**

(T, Long)

Cable mark: 409.0DOM id: ☒ TP4P0191☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 10 $\Delta(36-37)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 35**

(U, Short)

Cable mark: 426.0DOM id: ☒ UP4P0176☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(35-36)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 18**

Time:

☒ Cable/LC continuity test complete (Q10)☒ all pass☐ fail: _____Now 23:53Last b/o 23:43 Δ [min] :10**- LongDOM**

Depth:

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connectedParo2 426.4

Payout _____

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ Put two Kellers (one is for backup) in bucket of water/ice mix☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☐ long ☐ short)**DOM position 34**

(T, Long)

Cable mark: 443.0DOM id: ☒ TP4H0040

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 18 $\Delta(34-35)$: 17.0☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 33**

(U, Short)

Cable mark: 4160.0DOM id: ☒ UP4H0045

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(33-34)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 17**

Time:

☒ Cable/LC continuity test complete (Q10):☒ all pass☐ fail: _____Now 00:03Last b/o 23:53 Δt [min] :10

- LongDOM

☐ connector discharged (ESD)☐ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 469.9Payout N/A

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 32**

(T, Long)

Cable mark: 477.0DOM id: ☒ TP5Y0123

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(32-33)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 31**

(U, Short)

Cable mark: 494.0DOM id: ☒ UP5Y0206

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(31-32)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 16**

Time:

☒ Cable/LC continuity test complete (Q9)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableNow 00:14Last b/o 00:03 Δt [min] :11

Depth:

Paro2 493.8

Payout _____

00:19 lunch start00:41 lunch end☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 30

(T, Long)

Cable mark: 511.0DOM id: ☒ TP4H0016

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(30-31)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 29**

(U, Short)

Cable mark: 528.0DOM id: ☒ UP4P0190

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(29-30)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 15**

Time:

☒ Cable/LC continuity test complete (Q9)☐ all pass☐ fail: _____Now 00:48Last b/o 00:14 Δt [min] 34

22 min lunch

- LongDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 529.1Payout N/A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

keller bucket contaminated
with fuel
replaced with dry keller

Thermistor:

☒ Present ☒ Distance to DOM29: 44 cm

Keller:

☒ Connected ☒ Operational ☒ Air pressure [PSI]: 108Ser.#: 407559☒ Cable mark: _____ ☒ Distance to DOM29: 1.75 tape☒ All clear to lower cable ☺

base measurements have not been made correctly¹⁹
did not use 1944 zero point

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 28**

(T, Long)

Cable mark: 545.1DOM id: ☒ TP4P0167

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(28-29)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 27**

(U, Short)

Cable mark: 562.1DOM id: ☒ UP4P0188

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(27-28)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 14**

Time:

☒ Cable/LC continuity test complete (Q8)☒ all pass☐ fail: _____Now 01:13Last b/o 00:48 Δt [min] 15**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 561.4Keller N/APayout N/A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

tape dam hole

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 26**

(T, Long)

Cable mark: 579.1DOM id: ☒ TP4H0037☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(26-27)$: 17.1☐ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 25**

(U, Short)

Cable mark: 596.2DOM id: ☒ UP4H0026☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(25-26)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 13**

Time:

☒ Cable/LC continuity test complete (Q8)☒ all pass☐ fail: _____Now 01:24Last b/o 01:13 Δt [min] 11**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 597.1Keller N/A

Payout _____

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 24DOM id: ☒ TP5Y0185

(T, Long)

Cable mark: _____

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(24-25)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 23**DOM id: ☒ UP5Y0178

(U, Short)

Cable mark: 630.2

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(23-24)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 12**

Time:

☒ Cable/LC continuity test complete (Q7)☒ all pass☐ fail: _____Now 01:36Last b/o 01:24 Δt [min] :12**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 630.0Keller 619.6Payout N/A0.4 m Δ **- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

tape in hole

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 22

(T, Long)

Cable mark: 647.3DOM id: ☒ TP4H0038☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(22-23)$: 12.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 21**

(U, Short)

Cable mark: 664.3DOM id: ☐ UP4P0182☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(21-22)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**Breakout 11**

Time:

☒ Cable/LC continuity test complete (Q7)☐ all pass☐ fail: _____Now 01:46Last b/o 01:30 Δt [min] :10**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 64 664.0Keller 641.0

Payout _____

- ShortDOM☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☐ Loose pigtails taped to cable☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 20DOM id: ☒ TP4P0205

(T, Long)

Cable mark: 681.3

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(20-21)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☐ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.39 ☐ Vertical distance: 2.36**DOM position 19**DOM id: ☒ UP4P0178

(U, Short)

Cable mark: 698.3

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(19-20)$: 17.1*broken connector*☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☐ Curved distance around DOM: 2.40 ☐ Vertical distance: 2.32**Breakout 10**

Time:

☒ Cable/LC continuity test complete (Q6)☒ all pass☐ fail: _____Now 02:00Last b/o 01:46 Δt [min] 14

- LongDOM

Depth:

☐ connector discharged (ESD)Paro2 699.9☒ connector O-ring in place and ☒ lubedKeller 664.3☒ breakout O-ring in place and ☒ lubed

Payout _____

☒ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable*connector broken**Dom 19 swapped out**photo taken*☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 18**

(T, Long)

Cable mark: 715.3DOM id: ☒ TP4H0023

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(18-19)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 17**

(U, Short)

Cable mark: 732.4DOM id: ☒ UP5Y0224

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(17-18)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 9**

Time:

☒ Cable/LC continuity test complete (Q6)☒ all pass☐ fail: _____Now ~~02:00~~ 02:19Last b/o ~~02:00~~ Δt [min] ~~02:00~~ 19**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 732.6Keller 687.6Payout N/A

45.0 m L

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 16DOM id: ☒ TP5Y0169

(T, Long)

Cable mark: 749.4

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(16-17)$: 17.1☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 15**DOM id: ☐ UP5Y0100

(U, Short)

Cable mark: 17 766.4

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(15-16)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 8**

Time:

☒ Cable/LC continuity test complete (Q5)☒ all pass☐ fail: _____Now 02:33Last b/o 02:19 Δt [min] :14**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 766.39Keller 740.12

Payout _____

- ShortDOM☐ connector discharged (ESD)☐ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☐ connected☒ Loose pigtails taped to cable

02:28 - 02:31

unusual noises from
reel + tower when
snagged breakout came
through crescent

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☐ long ☒ short)**DOM position 14**DOM id: ☒ TP4P0163

(T, Long)

Cable mark: 783.5

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(14-15)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**DOM position 13**DOM id: ☒ UP5P0654

(U, Short)

Cable mark: 800.5

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(13-14)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 7**

Time:

☒ Cable/LC continuity test complete (Q5)☒ all pass☐ fail: _____Now 02:50Last b/o 02:33 Δt [min] :17**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 801.24Keller 776.50

Payout _____

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☐ long ☒ short)

DOM position 12

(T, Long)

Cable mark: 81A.5DOM id: ☒ TP4P0155

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(12-13)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 11**

(U, Short)

Cable mark: _____

DOM id: ☒ UP4P0330

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(11-12)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 6**

Time:

☒ Cable/LC continuity test complete (Q4)☐ all pass☐ fail: _____Now 03:03Last b/o 02:50 Δt [min] :13

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected

Depth:

Paro2 110 834.96Keller 808.32

Payout _____

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 10**

(T, Long)

Cable mark: 851.5DOM id: ☒ TP4H0020☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(10-11)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 9**

(U, Short)

Cable mark: 868.5DOM id: ☒ UP5Y0190☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(9-10)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 5**

Time:

☒ Cable/LC continuity test complete (Q4)☒ all pass☐ fail: _____Now 03:13Last b/o 03:03 Δt [min] 10

- LongDOM

Depth:

☒ connector discharged (ESD)Paro2 869.24☒ connector O-ring in place and ☒ lubedKeller 846.50☒ breakout O-ring in place and ☒ lubed

Payout _____

☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)

DOM position 8

(T, Long)

Cable mark: 885.5DOM id: ☐ TP5Y0143☒ TP5H0197

Reason for substitution:

Dom had been dropped
in past - decided to use
a spare

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(8-9)$: 17.1☐ Bow OK → ☐ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☒ whole view**DOM position 7**

(U, Short)

Cable mark: 892.5DOM id: ☐ UP4P0342☐

Reason for substitution:

☐ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(7-8)$: 17.0☒ Bow OK → ☐ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☒ whole view**Breakout 4**

Time:

☒ Cable/LC continuity test complete (Q3)☒ all pass☐ fail: _____Now 03:32Last b/o 03:13 Δt [min] :19

- LongDOM

Depth:

☐ connector discharged (ESD)Paro2 903.8☒ connector O-ring in place and ☒ lubedKeller 880.13☒ breakout O-ring in place and ☒ lubedPayout ~1A☐ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☐ breakout O-ring in place and ☐ lubed☐ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 6**

(T, Long)

Cable mark: 919.6DOM id: ☒ TP5Y0081

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(6-7)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 5**

(U, Short)

Cable mark: 936.6DOM id: ☒ UP4P0340

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(5-6)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 3**☒ Cable/LC continuity test complete (Q3)☒ all pass☒ fail: _____**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 03:46Last b/o 03:32 Δt [min] 14

Depth:

Paro2 938.52Keller 909.22

Payout _____

☒ All clear to lower cable ☺ge
photo

Photos: DOM ids (☐ long ☒ short); connectors (☐ long ☒ short)**DOM position 4**

(T, Long)

Cable mark: 953.6DOM id: ☒ TP4H0046

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 17 $\Delta(4-5)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☒ whole view**DOM position 3**

(U, Short)

Cable mark: 979.6DOM id: ☒ UP4H0058

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(3-4)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☒ whole view**Breakout 2**

Time:

☒ Cable/LC continuity test complete (Q2)☐ all pass☐ fail: _____Now 03:58Last b/o 03:46 Δt [min] :12**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☐ connected

Depth:

Paro2 972.84Keller 951.01

Payout _____

- ShortDOM☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☐ short)**DOM position 2**DOM id: ☒ TP4P0159

(T, Long)

Cable mark: 987.8

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 17 $\Delta(2-3)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**DOM position 1**DOM id: ☒ UP4Y0050

(U, Short)

Cable mark: 1004.8

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(1-2)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 1**

Time:

☒ Cable/LC continuity test complete (Q2)☒ all pass☐ fail: _____Now 04:12Last b/o 03:58 Δt [min] :14**- LongDOM**

Depth:

☐ connector discharged (ESD)Paro2 1005.91☒ connector O-ring in place and ☒ lubedKeller 980.99☒ breakout O-ring in place and ☒ lubed

Payout _____

☒ connected**- ShortDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☐ Loose pigtails taped to cableParo (Q1): ☒ Connected ☒ Operational ☐ Air pressure [PSI]: 10.5Ser.#: 98107 ☐ Cable mark: 1006.5 ☐ Distance to DOM1: 1.73 (uncorrected)Adapter: 0.2 Nipple ☐ on ☒ off98246☐ Group photo☐ All clear to lower cable ☺

swapped paro

descent started

04:33

☐ Enable payout☐ Zero payout to Paro 2Added by 33
I. Taboada-14 cm
offset

**Uphole Pressure Sensor (Setra)***After DOM1 is safely under the surface (> 50 m)*Time: 04:40☒ Stop the cable winch☒ Lower Setra pressure sensor into hole☒ Distance to Setra from floor: 60 m☒ Setra readout verified with monitoring system☒ Well depth from Setra: ~~20.83 m~~ 39.17☒ Well depth from laser: ~~46.88~~ 46.6 corrected laser measurement

If the two well depth measurements agree:

☐ Switch to Setra well depth in monitoring system ~~no~~setra is missing
ambient temp/pressureTime: 04:48
04:58

1066 m

Now the String Drop begins



String Drop

The target depth is **2450 m**☐ Switch cable winch to computer control☐ Speed: 12 m/min Time: 05:00 Depth: 1000 m☐ Speed: 20 m/min Time: 05:06 Depth: 1150 m☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____

Depth Monitoring (log on the fly – do not stop for this)

Depth Paro2 ¹	Time	Well depth ¹	Depth c/marks ²	Depth payout ¹	Δdepth P2-P1 ¹	Δdepth P2-K ¹	Δdepth K-P1 ¹
1000 m	05:01	46.6	1110	-1005	1.49	23.56	-17.43
1500 m	05:31		1492				
2000 m	06:13		2000				
2100 m	6:19		2096				
2200 m	6:26		2202				
2300 m							
2400 m	6:49		2440				

¹Read off monitoring screen²Cable mark offset (at DOM60) is (p. 4): 0.6

N/A

☐ Switch to manual control @ 2400 m☐ Well depth

@ 2420: _____

@ 2440: _____

☒ Position string at target depth of **2450 m**

Time: _____

☒ String secured with Yale grip and anchor chainTime: 7:20 AM

46.6 m well depth @ ~2200 m

46.0



Absolute depth with bottom Paro (depth in *meters* and pressure in *PSI*)

☒ Distance from Paro2 to DOM60:

$$d_{\text{Paro2-DOM59}} = \underline{1.29} \text{ (from p. 4)}$$

$$d_{\text{Paro2-DOM60}} = (d_{\text{Paro2-DOM59}} + 17) \text{ m} = \underline{18.29} \leftarrow \text{insert below}$$

☐ Convert Paro2 pressure to string depth:

$$K = 3.78151 \cdot 10^{-6} / \text{PSI} \text{ (compressibility of aerated water)}$$

(use 6 decimals for exp's)

Ambient pressure (from p. 4): $P_0 = \underline{10.34} \text{ PSI} \rightarrow \exp(-KP_0) = \underline{\hspace{2cm}}$

Pressure reading (from screen): $P = \underline{3430.2} \text{ PSI} \rightarrow \exp(-KP) = \underline{\hspace{2cm}}$

Subtract exponentials $\rightarrow$ $= \underline{\hspace{2cm}}$
 $\times 1.85947 \cdot 10^5$

Paro2 depth in water $\rightarrow$ $= \underline{2448.2} \text{ m}$

Add distance to DOM60 (above) $\rightarrow$ $+ \underline{\hspace{2cm}} \text{ m}$

Add well depth $\rightarrow$ $+ \underline{\hspace{2cm}} \text{ m}$

Depth of bottom DOM $\rightarrow$ $= \underline{\hspace{2cm}} \text{ m}$

Final depth estimates

←----- read off deployment screen -----→

Time:	Paro2	Keller	Paro1	Payout	Cable marks
Reading	3430.0 PSI	2802.4 PSI	2009.1 PSI	N/A m	2446 m
Offset	10.34 PSI	PSI	PSI	N/A m	m
Well depth	18.29	46.10 m		This space is intentionally left blank	
Dist. to DOM60	2448.2 m	m	m		
DEPTH (DOM60)	2453.34	2446.5	2451.2	N/A	2446

Time: 7:40 A.M

Final depth (DOM60): 2453.34



Deployment Closeout

- ☒ Log entries complete
- ☒ String safely secured
- ☒ Hole covered and secured
- ☒ Equipment safely shutdown and secured
- ☐ Deployment data OK (in database)
- ☐ Site cleanup
- ☐ Deployment crew dismissed
- ☐ String deployment complete

E-Stop pressed

Time: 7.40 am Date: 14/1/06.

Shift Lead: G. L. Will GARY HILL
name / signature

Logger: _____
name / signature

PTS Lead: Ignacio Taboada IT
name / signature

Deployment Manager: Jon Kim
name / signature

Safety Officer: TH
name / signature

IceCube On-ice Lead: _____
name / signature

**DEPLOYMENT LOG for IceCube STRING # 30**Deployment Start: at _____ on 13 Jan 2006Deployment End: at 7:40 AM on Jan/14/2006Target depth (DOM60): **2450 m** Final depth: 2453.34**Deployment Crew**

Position	First Shift	Second Shift	Third Shift
Shift lead	Gary Hill		
DOM install 1 (high)	Jon Fickel		
DOM install 2 (low)	Patrick		
DOM supply 1 / DOM install 3	Bernhard		
DOM supply 2 / floater	Kara/Hogler/Andreas		
Winch operator (cable & tower)	Dan		
Notary (logbook & photos)	Bethan		
PTS (monitoring / sensors)	Andres Justin	Justin / Ignacio	
Support (optional)			
Time shift on:			
Time shift off:			

Summary/Comments:

need digital clock for TOS

2005 11/11

2005 11/11

**Hole Handover**☐ Drill data reviewed☐ maximum drift in x: _____ ☐ plot☐ maximum drift in y: _____ ☐ plot☐ maximum depth: _____☐ minimum radius: _____ ☐ plot☐ plot of predicted radius vs depth and time☐ Hole dimensions verifiedTime: 18:54

Drill Lead: _____

name / signature / date

Deployment Lead: _____

name / signature / date

☐ Handover complete**Hole Logging**

(skip if not applicable)

☐ Logger drop started Time: _____ Speed: _____☐ Logging started Time: _____ Speed: _____☐ Logging ended Time: _____☐ Estimated hole lifetime: _____

► Must reach target depth by _____ on _____

19:11 awaiting winch expert
cable winch inop

19:33 winch ready
cable

• need procedure for
arranging shackles
at top of 2m cable



Deployment Startup

☒ Deployment hole cover on hand

Time: 18:59

☒ Cable winch anchored and ☒ operational☒ Tower winch operational☒ Tie off verified☒ Yellow rope verified☒ Deployment monitoring system (PTS) operational ☒ DDB# 3☒ Pressure sensors on hand: Paro(s) and Keller☒ Laser ranger, tape measure (metric) on hand☒ Loopback terminators connected (inside cable reel drum) DOB 1☒ Uphole pressure system on hand: Setra sensor and cable☒ DOMs placed in racks☒ Weight stack on hand: weights (5) and 2 m cableSafety checks complete (☒ 1st shift ☒ 2nd shift)☒ ☐ Crew safety briefing☒ ☐ E-stop locations identified☒ ☐ TOS evacuation procedures reviewed☒ ☐ Mustering point identified☒ ☐ Snow mobile driver(s): Ethan Gray Duv☒ ☐ CPR trained: Ethan Gray Duv Kava☐ ☐ Food runners: _____

call galley at 65521

☒ End of Main Cable brought into TOS and secured☒ Disable Payout Added by I. Taboada

Cable end attachments

☒ Measure well depth: 49.9/50.4☒ Weights (5) attached☒ Weight cable attached (weight stack complete)Time: 19:17 20:09

main cable tied off 19:53

weight stack complete



IceCube String Deployment Log

String 30

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 60**

(T, Long)

Cable mark: 0.6DOM id: ☐ TP4P0137☐

Reason for substitution:

☒ Bottom shackle connected to weight stack☒ Top clutch connected at link # 19☐ Bow OK → ☐ clutch zip tied☐ Cable end taped to weight stack cablePayout: N/APhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**DOM position 59**

(U, Short)

Cable mark: 17.5DOM id: ☐ UP4H0025☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18☒ Bow OK → ☐ clutch zip tied $\Delta(59-60)$: 17.1

(use laser ranger)

Photos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 30**Time: 20:36☒ Cable/LC continuity test complete (Q16)☒ all pass☐ fail: _____

Depth:

Payout N/A-13?

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☐ Loose pigtails taped to cable**Thermistor:**☒ Present☒ Distance to DOM59: 49cm**Paro:** (= Paro2)☒ Connected☒ Operational☐ Air pressure [PSI]: _____Ser.#: 98105☒ Cable mark: 18.9☒ Distance to DOM59: 1.29mAdapter: 147.2☒ All clear to lower cable ☉Nipple ☐ on ☒ off20:32
DM 60
descend21:26
DM 59
descent20:53 waiting on
Malt Newcomb to
come from station
problem in paro
read out
20:59 Newcomb arrived
21:22 - new paro working
Software problem98107 ~~98105~~ 98173 147.221:25 ODB 254245, 1st feed
21:26 dead

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 58**

(T, Long)

Cable mark: 34.7DOM id: ☐ TP4P0091☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(58-59)$: 17.0☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 57**

(U, Short)

Cable mark: 51.6DOM id: ☒ UP4H0030☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 19 $\Delta(57-58)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 29**

Time:

☒ Cable/LC continuity test complete (Q16)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cableNow 20:36 21:38Last b/o 20:36 Δt [min] 41:38 1:02

Depth:

Paro2 N/APayout N/A☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 56**

(T, Long)

Cable mark: 68.7DOM id: ☒ TP4Y0051☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 19 $\Delta(56-57)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 55**

(U, Short)

Cable mark: 85.6DOM id: ☒ UP4P0084☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(55-56)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 28**☒ Cable/LC continuity test complete (Q15)☒ all pass☐ fail: _____**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 21:56Last b/o 21:38 Δt [min] :18

Depth:

Paro2 N/APayout N/A☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 54**

(T, Long)

Cable mark: 102-8DOM id: ☒ TP5P0929Reason for substitution: ☐☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(54-55)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 53**

(U, Short)

Cable mark: 119.6DOM id: ☒ UP4P0080Reason for substitution: ☐☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(53-54)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 27**

Time:

☒ Cable/LC continuity test complete (Q15)☒ all pass☐ fail: _____Now 22:08Last b/o 21:56 Δt [min] 12

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 127.1Payout 127.1

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableThermistor: ☒ Present ☐ Distance to DOM53: _____☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 52**

(T, Long)

Cable mark: 136.9DOM id: ☒ TP4H0036Reason for substitution: no id☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(52-53)$: 1.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 51**

(U, Short)

Cable mark: 153.9DOM id: ☒ UP4P0120

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(51-52)$: 1.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 26**

Time:

☒ Cable/LC continuity test complete (Q14)☒ all pass☐ fail: _____Now 22:19Last b/o 22:08 Δt [min] :11

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 159.3Payout 21/A

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableThermistor distance to Dom 51 58cm☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 50**

(T, Long)

Cable mark: 170.8DOM id: ☒ TP4H0050☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(50-51)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: ~~2.42m~~ 2.42m ☐ Vertical distance: 2.40**DOM position 49**

(U, Short)

Cable mark: 187.8DOM id: ☒ UP5H0160☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(49-50)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.42 ☐ Vertical distance: 2.40**Breakout 25**

Time:

☒ Cable/LC continuity test complete (Q14)☒ all pass☐ fail: _____Now 22:33Last b/o 22:19 Δ [min] 14

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 187.7Payout N/A

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☐ long ☒ short)**DOM position 48**

(T, Long)

Cable mark: 204.8DOM id: ☒ TP5Y0221☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(48-49)$: 171☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 47**

(U, Short)

Cable mark: 221.8DOM id: ☒ UP5Y0182☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(47-48)$: 1700☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 24**

Time:

☒ Cable/LC continuity test complete (Q13)☒ all pass☐ fail: _____Now 22:44Last b/o 22:33 Δt [min] 11

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 221.8

Payout _____

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 46**

(T, Long)

Cable mark: 238.9DOM id: ☒ TP4P0217☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(46-47)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 45**

(U, Short)

Cable mark: 255.9DOM id: ☒ UP4P0276☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(45-46)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 23**

Time:

☒ Cable/LC continuity test complete (Q13)☒ all pass☒ fail: _____Now 22:53Last b/o 22:44 Δt [min] 109

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 255.1Payout NA

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Thermistor:

☒ Present☐ Distance to DOM45: _____not present☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 44**DOM id: ☒ TP5Y0213

(T, Long)

Cable mark: 2729

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 18 $\Delta(44-45)$: 17.1☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 43**DOM id: ☒ UP5Y0154

(U, Short)

Cable mark: 289.9

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(43-44)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 22**

Time:

☒ Cable/LC continuity test complete (Q12)☐ all pass☐ fail: _____Now 23:04Last b/o 22:53 Δt [min] :11

- LongDOM

Depth:

☐ connector discharged (ESD)Paro2 289.9☒ connector O-ring in place and ☒ lubedPayout 11/A☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Thermista

54 cm

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 42**DOM id: ☒ TP4P0207

(T, Long)

Cable mark: _____

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(42-43)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 41**DOM id: ☒ UP4P0218

(U, Short)

Cable mark: 323.9

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(41-42)$: 12.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 21**

Time:

☒ Cable/LC continuity test complete (Q12)☒ all pass☒ fail: _____Now 23:14Last b/o 23:04 Δt [min] 10

- LongDOM

Depth:

☒ connector discharged (ESD)Paro2 323.6☒ connector O-ring in place and ☒ lubedPayout N/A☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☒ long ☒ short)**DOM position 40**

(T, Long)

Cable mark: 340.9DOM id: ☒ TP4H0041☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(40-41)$: 12.6☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**DOM position 39**

(U, Short)

Cable mark: 357.9DOM id: ☒ UP4H0054☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(39-40)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**Breakout 20**☒ Cable/LC continuity test complete (Q11)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Time:

Now 23:32Last b/o 23:14 Δt [min] :18

Depth:

Paro2 3566

Payout _____

23:21 problem with cable
23:27 cable motion resumed
ropes snagged on thimble - photo taken

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 38**

(T, Long)

Cable mark: 375.0DOM id: ☒ TP5Y0207☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(38-39)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 37**

(U, Short)

Cable mark: 392.0DOM id: ☒ UP5Y0214☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(37-38)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 19**

Time:

☒ Cable/LC continuity test complete (Q11)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableNow 23:43Last b/o 23:32 Δt [min] 11

Depth:

Paro2 390.8

Payout _____

23:41 cable snagged again☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☒ long ☒ short)**DOM position 36**

(T, Long)

Cable mark: 409.0DOM id: ☒ TP4P0191☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 10 $\Delta(36-37)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 35**

(U, Short)

Cable mark: 426.0DOM id: ☒ UP4P0176☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(35-36)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 18**

Time:

☒ Cable/LC continuity test complete (Q10)☒ all pass☐ fail: _____Now 23:53Last b/o 23:43 Δt [min] :10

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 426.4

Payout _____

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ Put two Kellers (one is for backup) in bucket of water/ice mix☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☐ long ☐ short)**DOM position 34**

(T, Long)

Cable mark: 443.0DOM id: ☐ TP4H0040☐

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 18 $\Delta(34-35)$: 17.0☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☒ whole view**DOM position 33**

(U, Short)

Cable mark: 460.0DOM id: ☐ UP4H0045☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(33-34)$: 17.0☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☒ whole view**Breakout 17**

Time:

☒ Cable/LC continuity test complete (Q10)☐ all pass☐ fail: _____Now 00:03Last b/o 23:53 Δt [min] 110

- LongDOM

☐ connector discharged (ESD)☐ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected

Depth:

Paro2 459.9Payout N/A

- ShortDOM

☐ connector discharged (ESD)☐ connector O-ring in place and ☒ lubed☐ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 32**

(T, Long)

Cable mark: 477.0DOM id: ☒ TP5Y0123☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(32-33)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 31**

(U, Short)

Cable mark: 494.0DOM id: ☒ UP5Y0206☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(31-32)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 16**

Time:

☒ Cable/LC continuity test complete (Q9)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableNow 00:14Last b/o 00:03 Δt [min] :11

Depth:

Paro2 493.8

Payout _____

00:19 lunch start00:41 lunch end☒ All clear to lower cable ☺



IceCube String Deployment Log

String 30

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 30**

(T, Long)

Cable mark: 511.0DOM id: ☒ TP4H0016☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(30-31)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 29**

(U, Short)

Cable mark: 528.0DOM id: ☒ UP4P0190☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(29-30)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 15**

Time:

☒ Cable/LC continuity test complete (Q9)☐ all pass☐ fail: _____Now 00:48Last b/o 00:14 Δt [min] 3422 min
unch

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 529.1Payout N/A

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

Thermistor:

☒ Present ☒ Distance to DOM29: 44cm

Keller:

☒ Connected ☒ Operational ☒ Air pressure [PSI]: 108Ser.#: 407559☒ Cable mark: _____ ☒ Distance to DOM29: 1.75 tape☒ All clear to lower cable ☺

Tape measurements have not been made correctly 19

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 28**

(T, Long)

Cable mark: 545.1DOM id: ☒ TP4P0167☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(28-29)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 27**

(U, Short)

Cable mark: 562.1DOM id: ☒ UP4P0188☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(27-28)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 14**

Time:

☒ Cable/LC continuity test complete (Q8)☒ all pass☐ fail: _____Now 01:13Last b/o 00:48 Δt [min] :15**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 561.4Keller N/APayout N/A**- ShortDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable*tape dam hole*☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 26**

(T, Long)

Cable mark: 579.1DOM id: ☒ TP4H0037☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(26-27)$: 17.1☐ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 25**

(U, Short)

Cable mark: 596.2DOM id: ☒ UP4H0026☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(25-26)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☒ phi orientation ☒ whole view**Breakout 13**

Time:

☒ Cable/LC continuity test complete (Q8)☒ all pass☐ fail: _____Now 01:24Last b/o 01:13 Δt [min] 11**- LongDOM**☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 597.1Keller N/A

Payout _____

- ShortDOM☒ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☐ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☐ short)**DOM position 24**DOM id: ☒ TP5Y0185

(T, Long)

Cable mark: _____

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(24-25)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 23**DOM id: ☒ UP5Y0178

(U, Short)

Cable mark: 630.2

Reason for substitution: _____

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(23-24)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 12**

Time:

☒ Cable/LC continuity test complete (Q7)☒ all pass☐ fail: _____Now 01:36Last b/o 01:24 Δt [min] :12

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 630.0Keller 619.6Payout N/A

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

tape in hole

0.4 m Δ ☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☐ short); connectors (☐ long ☐ short)**DOM position 22**

(T, Long)

Cable mark: 647.3DOM id: ☐ TP4H0038☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(22-23)$: 12.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole viewno
id**DOM position 21**

(U, Short)

Cable mark: 664.3DOM id: ☐ UP4P0182☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(21-22)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**Breakout 11**

Time:

☒ Cable/LC continuity test complete (Q7)☐ all pass☐ fail: _____Now 01:46Last b/o 01:30 Δt [min] :10**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 64 664.6Keller 641.0

Payout _____

23m Δ **- ShortDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☐ Loose pigtails taped to cable☐ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 20**DOM id: ☒ TP4P0205

(T, Long)

Cable mark: 681.3

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(20-21)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☐ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.39 ☐ Vertical distance: 2.36**DOM position 19**DOM id: ☒ UP4P0178

(U, Short)

Cable mark: 698.3

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(19-20)$: 17.1

broken connector

☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view☒ Curved distance around DOM: 2.40 ☐ Vertical distance: 2.32**Breakout 10**

Time:

☒ Cable/LC continuity test complete (Q6)☒ all pass☐ fail: _____Now 02:00Last b/o 01:46 Δt [min] 14

- LongDOM

Depth:

☐ connector discharged (ESD)Paro2 699.9☒ connector O-ring in place and ☒ lubedKeller 664.3☒ breakout O-ring in place and ☒ lubed

Payout _____

☒ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☒ connected☒ Loose pigtailed taped to cable

connector broken

DOM 19 swapped
out

photo taken

☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☒ short); connectors (☐ long ☒ short)**DOM position 18**

(T, Long)

Cable mark: 715.13DOM id: ☒ TP4H0023☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(18-19)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 17**

(U, Short)

Cable mark: 732.4DOM id: ☒ UP5Y0224☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(17-18)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 9**

Time:

☒ Cable/LC continuity test complete (Q6)☒ all pass☐ fail: _____

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cableNow ~~02:00~~ 02:19Last b/o ~~02:00~~ Δt [min] ~~00:00~~ 00:19

Depth:

Paro2 732.6Keller 687.6Payout N/A45.0 m Δ ☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 16**

(T, Long)

Cable mark: 749.4DOM id: ☒ TP5Y0169Reason for substitution: ☐☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(16-17)$: 17.1☐ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 15**

(U, Short)

Cable mark: 177 766.4DOM id: ☒ UP5Y0100Reason for substitution: ☐☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(15-16)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 8**

Time:

☒ Cable/LC continuity test complete (Q5)☒ all pass☐ fail: _____Now 02:33Last b/o 02:19 Δt [min] 14

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 766.39Keller 740.12

Payout _____

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable

02:28 - 02:31

unusual raises from
veel + tower when
snagged breakout came
through crescent

☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 14**

(T, Long)

Cable mark: 783.5DOM id: ☒ TP4P0163☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(14-15)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**DOM position 13**

(U, Short)

Cable mark: 800.5DOM id: ☒ UP5P0654☐

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 18 $\Delta(13-14)$: 17.1☐ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 7**

Time:

☒ Cable/LC continuity test complete (Q5)☒ all pass☐ fail: _____Now 02:50Last b/o 02:33 Δt [min] :17**- LongDOM**☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 801.24Keller 776.50

Payout _____

- ShortDOM☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☐ long ☐ short)**DOM position 12**

(T, Long)

Cable mark: 814.5DOM id: ☒ TP4P0155☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(12-13)$: 17.0☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 11**

(U, Short)

Cable mark: _____

DOM id: ☒ UP4P0330☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 18 $\Delta(11-12)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 6**

Time:

☒ Cable/LC continuity test complete (Q4)☐ all pass☐ fail: _____Now 03:03Last b/o 02:50 Δt [min] 13

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected

Depth:

Paro2 110 834.96Keller 808.32

Payout _____

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 10**

(T, Long)

Cable mark: 851.5DOM id: ☒ TP4H0020☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(10-11)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 9**

(U, Short)

Cable mark: 868.5DOM id: ☒ UP5Y0190☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(9-10)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☒ phi orientation ☐ whole view**Breakout 5**

Time:

☒ Cable/LC continuity test complete (Q4)☒ all pass☐ fail: _____Now 03:13Last b/o 03:03 Δt [min] :10

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 869.24Keller 846.50

Payout _____

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☒ short)**DOM position 8**

(T, Long)

Cable mark: 885.5DOM id: ☐ TP5Y0143☒ TP5H0197

Reason for substitution:

Dom had been dropped
in past - decided to use
a spare☒ Bottom shackle connected☒ Top clutch connected at link # 17☐ Bow OK → ☒ clutch zip tied $\Delta(8-9)$: 17.1Photos: ☒ chain with clutch ☒ phi orientation ☒ whole view**DOM position 7**

(U, Short)

Cable mark: 892.5DOM id: ☐ UP4P0342☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17☒ Bow OK → ☒ clutch zip tied $\Delta(7-8)$: 17.0Photos: ☒ chain with clutch ☒ phi orientation ☒ whole view**Breakout 4**

Time:

☒ Cable/LC continuity test complete (Q3)☒ all pass☐ fail: _____Now 03:32Last b/o 03:13 Δt [min] :19

- LongDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

Depth:

Paro2 903.8Keller 880.13Payout N/A

- ShortDOM

☒ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☒ Loose pigtails taped to cable☒ All clear to lower cable ☺

Photos: DOM ids (☐ long ☐ short); connectors (☐ long ☐ short)**DOM position 6**

(T, Long)

Cable mark: 919.6DOM id: ☒ TP5Y0081☐

Reason for substitution:

☐ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(6-7)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**DOM position 5**

(U, Short)

Cable mark: 936.6DOM id: ☐ UP4P0340☐

Reason for substitution:

☐ Bottom shackle connected☐ Top clutch connected at link # 17 $\Delta(5-6)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 3**☐ Cable/LC continuity test complete (Q3)☐ all pass☐ fail: _____

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☐ lubed☐ breakout O-ring in place and ☐ lubed☐ connected

- ShortDOM

☐ connector discharged (ESD)☐ connector O-ring in place and ☒ lubed☐ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable

Time:

Now

03:46

Last b/o

03:32 Δt [min]14

Depth:

Paro2

938.52

Keller

909.22

Payout

☐ All clear to lower cable ☺ge
photo

Photos: DOM ids (☐ long ☒ short); connectors (☐ long ☐ short)**DOM position 4**

(T, Long)

Cable mark: 953.6DOM id: ☒ TP4H0046☐

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 17 $\Delta(4-5)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☒ whole view**DOM position 3**

(U, Short)

Cable mark: 979.6DOM id: ☒ UP4H0058☐

Reason for substitution:

☒ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(3-4)$: 17.1☒ Bow OK $\rightarrow$ ☐ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☒ whole view**Breakout 2**☒ Cable/LC continuity test complete (Q2)☐ all pass☐ fail: _____

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☐ lubed☐ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☐ connected☒ Loose pigtails taped to cable

Time:

Now 03:58Last b/o 03:46 Δt [min] :12

Depth:

Paro2 972.04Keller 951.01

Payout _____

☒ All clear to lower cable ☺



Photos: DOM ids (☒ long ☒ short); connectors (☒ long ☐ short)

DOM position 2

(T, Long)

Cable mark: 987.8DOM id: ☒ TP4P0159☐

Reason for substitution:

☒ Bottom shackle connected☐ Top clutch connected at link # 17 $\Delta(2-3)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☒ chain with clutch ☐ phi orientation ☐ whole view**DOM position 1**

(U, Short)

Cable mark: 1004.8DOM id: ☒ UP4Y0050☐

Reason for substitution:

☐ Bottom shackle connected☒ Top clutch connected at link # 17 $\Delta(1-2)$: 17.1☒ Bow OK $\rightarrow$ ☒ clutch zip tiedPhotos: ☐ chain with clutch ☐ phi orientation ☐ whole view**Breakout 1**

Time:

☒ Cable/LC continuity test complete (Q2)☒ all pass☐ fail: _____

- LongDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected

- ShortDOM

☐ connector discharged (ESD)☒ connector O-ring in place and ☒ lubed☒ breakout O-ring in place and ☒ lubed☒ connected☐ Loose pigtails taped to cable

Para (Q1):

☒ Connected ☒ Operational☐ Air pressure [PSI]: 10.5Ser. #: 98107☐ Cable mark: 1006.5☐ Distance to DOM1: 1.73 (uncorrected laser)Adapter: 0.2Nipple ☐ on ☒ off98246☐ Group photo☐ All clear to lower cable ☺swapped paradescent started04:33☐ Enable payout☒ Zero

payout to Para 2

Added by

**Uphole Pressure Sensor (Setra)***After DOM1 is safely under the surface (> 50 m)*Time: 04:40☒ Stop the cable winch☒ Lower Setra pressure sensor into hole☒ Distance to Setra from floor: 60m☒ Setra readout verified with monitoring system☒ Well depth from Setra: ~~20.83~~ m 39.14☒ Well depth from laser: ~~46.88~~ 46.6 corrected laser measurement

If the two well depth measurements agree:

☐ Switch to Setra well depth in monitoring system ~~nb~~setra is missing
ambient temp/pressureTime: 04:58
04:58

1066m

Now the String Drop begins



String Drop

The target depth is 2450 m☐ Switch cable winch to computer control☐ Speed: 12 m/min Time: 05:00 Depth: 1800 m☐ Speed: 20 m/min Time: 05:06 Depth: 1150 m☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____☐ Speed: _____ Time: _____ Depth: _____

Depth Monitoring (log on the fly – do not stop for this)

Depth Paro2 ¹	Time	Well depth ¹	Depth c/marks ²	Depth payout ¹	Δdepth P2-P1 ¹	Δdepth P2-K ¹	Δdepth K-P1 ¹
1000 m	05:01	46.6	1110	-1005	1.49	23.56	-17.43
1500 m	05:31		1492				
2000 m	06:13		2000				
2100 m	6:19		2096				
2200 m	6:26		2202				
2300 m							
2400 m	6:49		2440				

¹Read off monitoring screen²Cable mark offset (at DOM60) is (p. 4): 0.6

N/A

☐ Switch to manual control @ 2400 m☐ Well depth

@ 2420: _____

@ 2440: _____

46.1 m laser

para / keller readback

problem

#2

53.34

#1

51.2

K

46.5

@ 24

☒ Position string at target depth of 2450 m

Time: _____

☒ String secured with Yale grip and anchor chainTime: 7:20 AM

46.6 m well depth @ ~2200 m

46.0



Absolute depth with bottom Paro (depth in *meters* and pressure in *PSI*)

☒ Distance from Paro2 to DOM60:

$$d_{\text{Paro2-DOM59}} = \underline{1.29} \text{ (from p. 4)}$$

$$d_{\text{Paro2-DOM60}} = (d_{\text{Paro2-DOM59}} + 17) \text{ m} = \underline{18.29} \leftarrow \text{insert below}$$

☐ Convert Paro2 pressure to string depth:

$$K = 3.78151 \cdot 10^{-6} \text{ /PSI (compressibility of aerated water)}$$

(use 6 decimals for exp's)

$$\text{Ambient pressure (from p. 4): } P_0 = \underline{16.34} \text{ PSI} \rightarrow \exp(-KP_0) = \underline{\hspace{2cm}}$$

$$\text{Pressure reading (from screen): } P = \underline{3430.2} \text{ PSI} \rightarrow \exp(-KP) = \underline{\hspace{2cm}}$$

$$\begin{aligned} \text{Subtract exponentials} \rightarrow &= \underline{\hspace{2cm}} \\ &\times 1.85947 \cdot 10^5 \end{aligned}$$

$$\text{Paro2 depth in water} \rightarrow = \underline{224.592} \text{ m}$$

$$\text{Add distance to DOM60 (above)} \rightarrow + \underline{\hspace{2cm}} \text{ m}$$

$$\text{Add well depth} \rightarrow + \underline{\hspace{2cm}} \text{ m}$$

$$\text{Depth of bottom DOM} \rightarrow = \underline{\hspace{2cm}} \text{ m}$$

Final depth estimates

←----- read off deployment screen -----→

Time:	Paro2	Keller	Paro1	Payout	Cable marks
Reading	3430.0 PSI	2802.4 PSI	2009.1 PSI	N/A m	2446 m
Offset	224.592 PSI	PSI	PSI	N/A m	m
Well depth	46.10 m			This space is intentionally left blank	
Dist. to DOM60	224.592 m	m	m		
DEPTH (DOM60)	2453.34	2446.5	2451.2	N/A	2446

Time: 7.40 AM

Final depth (DOM60): 2453.34



Deployment Closeout

☒ Log entries complete☒ String safely secured☒ Hole covered and secured☒ Equipment safely shutdown and secured☐ Deployment data OK (in database)☐ Site cleanup☐ Deployment crew dismissed☐ String deployment completeE-Stop pressedTime: 7:40 am Date: 14/1/06Shift Lead: G. Hill GARY HILL
name / signatureLogger: _____
name / signaturePTS Lead: Ignacio Taboada
name / signatureDeployment Manager: Jon Hill
name / signatureSafety Officer: TH
name / signatureIceCube On-ice Lead: _____
name / signature

